

# Which of these patients do you relate to the most?

The people below are not actual patients.



**GO COVRI**<sup>®</sup>  
(amantadine) extended release capsules

# First, let's cover some important terms you should know about movement control in Parkinson's disease (PD)

Levodopa is a PD medication designed to replace dopamine in your brain as Parkinson's disease progresses.

Too little dopamine may result in OFF symptoms.

Too much dopamine may cause dyskinesia.

You may find yourself trying to find the balance between these extremes.

The below depicted are not actual patients.



**Levodopa may not be working as expected to control PD**  
PD symptoms may return, such as:

- Slowed movement
- Tremor, rigidity, and balance issues



**Too much levodopa may lead to unwanted movements**

- Rapid jerking or muscle spasms
- Rhythmic, dance-like movements



**Levodopa is working as expected**

- Good movement control

## Four stories of people with Parkinson's (PWP). Who seems the most familiar to you?

### Joe is the type of teacher few students forget

He loves to teach—which is clear from his spirited, animated style. But these days, Joe is just trying to get through class himself. He's struggling with slow movement and tremor because his medication wears off. Embarrassed, Joe feels more like a distraction than an educator to his students. He wants to teach for another 2-3 years, but he feels he may have to retire early.




**Joe**  
Struggles with OFF episodes  
may force him to retire early

Not an actual patient.

4

### Betty is a recent retiree

She hopes to garden with her husband and go to more of her grandkids' games. Betty has been struggling with OFF episodes for some time, and her doctor has increased her levodopa dose a couple of times to help address this. But now, she's starting to experience dyskinesia—and she's starting to worry it will get in the way of everything she and her husband want to do. These were the years she and her husband have worked so hard for. Is there another treatment option for her?



**Betty**  
Worried she has to accept more  
OFF episodes to avoid dyskinesia

Not an actual patient.

5

## How do you manage your OFF episodes and dyskinesia?

### Tom enjoys spending time with friends

Lately, though, he and his wife have been turning down a lot of invitations. That's because at a recent gathering, Tom's dyskinesia made it difficult for him to use utensils. The incident really embarrassed him. He started isolating after that, which worries his wife. Tom always tried to manage his OFF time, because it kept him from being social—but now, dyskinesia is doing the same thing. Now what?



**Tom**

Fed up with accepting dyskinesia in order to avoid being OFF

Not an actual patient.

6

### Matt just got promoted to sales

Communicating with clients virtually and in-person is essential to his new job. Recently, at a few important meetings, Matt's dyskinesia and OFF episodes were pretty noticeable—and it shattered his confidence. His Parkinson's was early onset, so Matt has dealt with this for a long time. But lately, motor complications are affecting his performance.



**Matt**

Dyskinesia and OFF episodes are affecting his confidence at work

Not an actual patient.

7

# OFF time and dyskinesia may impact daily activities of people living with PD

These activities can include:



The above depictions are not actual patients.

## PD can leave an emotional and social impact, too

As you've seen in these PWP stories, PD can have a daily impact on how you feel and how you may enjoy time with others.

- 1 out of 3 PWP feel that motor complications make social interactions difficult
- PWP often feel depressed and experience anxiety



**Does this sound like you?  
Ask your doctor about an available  
treatment option today**

GOCOVRI is the only medicine used for both dyskinesia and OFF episodes in PD patients taking levodopa.

For Parkinson's disease patients with motor complications,

# GOCOVRI COULD MEAN THE DIFFERENCE BETWEEN GETTING UP AND GETTING OUT



Not an actual patient.

ONCE DAILY AT BEDTIME  
**GOCOVRI**<sup>®</sup>  
 (amantadine) extended release capsules  
 68.5 mg | 137 mg

## USE AND IMPORTANT SAFETY INFORMATION

### WHAT IS GOCOVRI?

GOCOVRI (amantadine) extended release capsules is a prescription medicine used:

- for the treatment of dyskinesia (sudden uncontrolled movements) in people with Parkinson's disease who are treated with levodopa therapy or levodopa therapy with other medicines that increase the effects of dopamine in the brain.
- with levodopa and carbidopa in people with Parkinson's disease who are having "off" episodes.

It is not known if GOCOVRI is safe and effective in children.

### IMPORTANT SAFETY INFORMATION

**DO NOT** take GOCOVRI if you have severe kidney problems.

## IMPORTANT SAFETY INFORMATION (cont'd)

### WHAT SHOULD I AVOID WHILE TAKING GOCOVRI?

**Do not** stop or change the dose of GOCOVRI before talking with your doctor. Call your healthcare provider if you have symptoms of withdrawal such as fever, confusion, or severe muscle stiffness.

**Do not** drink alcohol while taking GOCOVRI as it can increase your chances of serious side effects.

**Do not** drive, operate machinery, or do other dangerous activities until you know how GOCOVRI affects you. If you took too much GOCOVRI, call your doctor or go to the nearest hospital emergency room right away.

Please see Important Safety Information throughout and full Patient Prescribing Information on pages 20-23.

# GOCOVRI® reduces dyskinesia and OFF time for more GOOD ON time throughout the day

In clinical trials, GOCOVRI reduced dyskinesia (a primary goal in the trials); GOCOVRI also reduced OFF time and increased GOOD ON time (secondary goals in the trials).\*

**27%**  
DECREASE IN  
DYSKINESIA  
COMPARED TO PLACEBO

\*GOCOVRI was studied in 2 double-blind, clinical trials. The first trial was up to 25 weeks and included 121 people with Parkinson's disease who experienced dyskinesia. The second trial was 13 weeks and included 75 patients with Parkinson's disease who experienced dyskinesia. Both trials examined how GOCOVRI treated dyskinesia vs a placebo (sugar pill). To keep the trials fair and unbiased, participants did not know if they received GOCOVRI or the placebo. The first goal of the clinical trials was to measure if GOCOVRI or placebo made a difference in people's dyskinesia over the course of the trial. The second goal of the clinical trials was to measure the difference in OFF time over the course of the trial and GOOD ON time (ON time without dyskinesia).

## IMPORTANT SAFETY INFORMATION (cont'd)

### WHAT ARE THE POSSIBLE SIDE EFFECTS OF GOCOVRI?

- **Falling asleep during normal activities.** Activities may include driving, talking, or eating. You may fall asleep without being drowsy or warning.
- **Suicidal thoughts or actions and depression.** Tell your doctor if you have new or sudden changes in mood, behaviors, thoughts, or feelings, including thoughts about hurting yourself or ending your life.
- **Hallucinations.** GOCOVRI can cause or worsen hallucinations (seeing or hearing things that are not real) or psychotic behavior.

## PATIENTS IN THE CLINICAL TRIALS USED DIARIES TO TRACK THEIR MOVEMENTS THROUGHOUT THE DAY


This is a sample patient's diary. The different colors represent sleep (white), off episodes (gray), dyskinesia (yellow), and GOOD ON time (green).



## OVERALL RESULTS FROM THE PATIENT DIARIES



## MORE GOOD ON TIME THROUGHOUT THE WAKING DAY



Please see Important Safety Information throughout and full Patient Prescribing Information on pages 20-23.

# Take GOCOVRI® at nighttime to manage dyskinesia and OFF time throughout the day

You take GOCOVRI at nighttime

While you sleep, GOCOVRI releases slowly in your body

By the time you wake up in the morning, GOCOVRI has reached high levels to manage dyskinesia and OFF episodes throughout the day

## GOCOVRI is added to your existing levodopa therapy

It's amantadine—but in a different form that is specifically used to treat your dyskinesia or OFF episodes.

- You take it once daily at nighttime
- There is a slow lag in release
- You reach high levels by the time you wake, before your first levodopa dose in the morning
- GOCOVRI slowly releases throughout the day before it tapers off in the evening



Not an actual patient.

## IMPORTANT SAFETY INFORMATION (cont'd)

### WHAT ARE THE POSSIBLE SIDE EFFECTS OF GOCOVRI?

- **Feeling dizzy, faint or lightheaded, especially when you stand up (orthostatic hypotension).** Lightheadedness or fainting may happen when getting up too quickly after long periods of time, when first starting GOCOVRI, or if your dose has been increased.

## IMPORTANT SAFETY INFORMATION (cont'd)

### WHAT ARE THE POSSIBLE SIDE EFFECTS OF GOCOVRI?

- **Unusual urges.** Examples include gambling, sexual urges, spending money, binge eating, and the inability to control them.

Please see Important Safety Information throughout and full Patient Prescribing Information on pages 20-23.

# A simple 3-step process for getting GOCOVRI®

STEP  
**1**

## THE PHARMACY CALLS YOU

If your doctor determines GOCOVRI is right for you, GOCOVRI Onboard can help. To receive GOCOVRI, our specialty pharmacy partner needs to speak to you

STEP  
**2**

## GOCOVRI IS EXPRESS-MAILED TO YOU

Once our specialty pharmacy confirms your address over the phone, they will arrange express delivery of GOCOVRI directly to your door, with no need to go to the pharmacy

STEP  
**3**

## FOLLOW-UP CALL

After you receive GOCOVRI, your GOCOVRI Care Coordinator will call you to answer any questions you may have and to discuss next steps



Call 1-844-GOCOVRI  
(1-844-462-6874)  
and press 1

for a GOCOVRI  
Care Coordinator

Monday-Friday, 8 AM-8 PM ET



## IMPORTANT SAFETY INFORMATION (cont'd)

### WHAT ARE THE POSSIBLE SIDE EFFECTS OF GOCOVRI?

The most common side effects of GOCOVRI include dry mouth, swelling of legs and feet, constipation, and falls. If you or your family notices that you are developing any new, unusual or sudden changes in behavior or related symptoms, tell your healthcare provider right away.

**These are not all the possible side effects of GOCOVRI.**

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

## IMPORTANT SAFETY INFORMATION (cont'd)

### TELL YOUR DOCTOR ABOUT ALL MEDICAL CONDITIONS, INCLUDING IF YOU:

- have kidney problems.
- have unexpected or unpredictable sleepiness, sleep disorders, or currently take medication to help you sleep or make you drowsy.

Please see Important Safety Information throughout and full Patient Prescribing Information on pages 20-23.

# GOCOVRI Onboard® may be able to help you get access to GOCOVRI®



If you and your doctor determine that GOCOVRI is right for you, GOCOVRI Onboard can help you determine if you're eligible for any of our patient support programs.

Your GOCOVRI Care Coordinator will work directly with you to see if you are eligible for assistance with paying for GOCOVRI through 1 of 2 savings programs, shown below.\*

## We're here for you!



### \$20 COPAY ASSISTANCE PROGRAM

If you have a commercial health plan and participate in the GOCOVRI Copay Assistance Program, you'll pay a \$20 copay per prescription until the maximum annual benefit is reached



### PATIENT ASSISTANCE PROGRAM

If you don't have insurance, your insurance doesn't cover\* GOCOVRI, or if you can't afford GOCOVRI, the Patient Assistance Program may help you get GOCOVRI at no cost

If you do not qualify for these programs, you still may be able to get help with access to GOCOVRI.



### INDEPENDENT CHARITABLE FOUNDATIONS PROGRAM

If you have government-sponsored insurance, independent organizations and/or other resources may be available to help

## IMPORTANT SAFETY INFORMATION (cont'd)

### TELL YOUR DOCTOR ABOUT ALL MEDICAL CONDITIONS, INCLUDING IF YOU:

- are pregnant or plan to become pregnant or are breastfeeding or plan to breastfeed. GOCOVRI may harm your unborn baby and can pass into your breastmilk.
- **Tell your doctor about all the medicines you take.** Include prescription and over-the-counter medicines, vitamins, and herbal supplements.

## IMPORTANT SAFETY INFORMATION (cont'd)

### TELL YOUR DOCTOR ABOUT ALL MEDICAL CONDITIONS, INCLUDING IF YOU:

**Especially tell your doctor if you** take medicines like sodium bicarbonate, or have had or are planning to have a live flu vaccination (nasal spray). You can receive the flu vaccination shot but should not get a live flu vaccine while taking GOCOVRI.

\*This offer is not valid for prescriptions that are eligible to be reimbursed, in whole or in part, by Medicaid, Medicare, TRICARE, or the VA healthcare.

Please see Important Safety Information throughout and full Patient Prescribing Information on pages 20-23.

# Full Patient Prescribing Information

## PATIENT INFORMATION

GOCOVRI® (goh-KUV-ree) (amantadine) extended release capsules, for oral use

### What is GOCOVRI?

GOCOVRI is a prescription medicine used:

- for the treatment of dyskinesia (sudden uncontrolled movements) in people with Parkinson's disease who are treated with levodopa therapy or levodopa therapy with other medicines that increase the effects of dopamine in the brain.
- with levodopa and carbidopa in people with Parkinson's disease who are having "off" episodes.

It is not known if GOCOVRI is safe and effective in children.

**Do not take GOCOVRI if you** have severe kidney problems.

**Before you take GOCOVRI, tell your doctor about all of your medical conditions, including if you:**

- have kidney problems.
- have daytime sleepiness from a sleep disorder, have unexpected or unpredictable sleepiness or periods of sleep, take a medicine to help you sleep, or take any medicine that makes you drowsy.
- have mental problems, such as suicidal thoughts, depression, or hallucinations.
- have unusual urges including gambling, increased sex drive, compulsive eating, or compulsive shopping.
- drink alcoholic beverages. This may increase your chances of becoming drowsy or sleepy while taking GOCOVRI.
- are pregnant or plan to become pregnant. GOCOVRI may harm your unborn baby.
- are breastfeeding or plan to breastfeed. GOCOVRI can pass into your breastmilk. Talk to your doctor about the best way to feed your baby if you take GOCOVRI.

**Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.**

### Especially tell your doctor if you:

- take medicines like sodium bicarbonate.
- have had or are planning to have a live flu (influenza) vaccination (nasal spray). You can receive the influenza vaccination shot but **should not** get a live influenza vaccine while taking GOCOVRI.

Know the medicines you take. Keep a list of them to show your doctor and pharmacist when you get a new medicine.

### How should I take GOCOVRI?

- Take GOCOVRI exactly as your doctor tells you to.
- Start GOCOVRI with 1 capsule at bedtime. Your doctor may change your dose if needed. If your doctor tells you to take 2 capsules, take them together at bedtime.
- **Do not** stop or change your dose of GOCOVRI before talking with your doctor. Call your doctor if you have symptoms of withdrawal such as fever, confusion, or severe muscle stiffness.
- GOCOVRI may be taken with food or without food.
- Swallow GOCOVRI capsules whole. **Do not** crush, chew, or divide.
- GOCOVRI capsules may be opened and sprinkled on applesauce before swallowing. Sprinkle all of the medicine in the capsule on the applesauce. Take all of the medicine right away without chewing.
- If you miss a dose of GOCOVRI, do not take an extra dose. Take your usual dose of GOCOVRI on the next day at bedtime.
- If you have forgotten to take GOCOVRI for several days, contact your doctor.
- **Do not** drink alcohol with your dose of GOCOVRI.
- **Do not** use GOCOVRI capsules that are damaged or show signs of tampering.
- If you take too much GOCOVRI, call your doctor or go to the nearest hospital emergency room right away.

# Full Patient Prescribing Information

(continued)

## What should I avoid while taking GOCOVRI®?

- **Do not** drive, operate machinery, or do other dangerous activities until you know how GOCOVRI affects you.
- **Do not** drink alcohol while taking GOCOVRI. It can increase your chances of getting serious side effects.

## What are the possible side effects of GOCOVRI?

GOCOVRI may cause serious side effects, including:

- **falling asleep during normal activities.** You may fall asleep while doing normal activities such as driving a car, talking, or eating while taking GOCOVRI or other medicines that treat Parkinson's disease. You may fall asleep without being drowsy or without warning. This may result in having accidents. Your chances of falling asleep while doing normal activities while taking GOCOVRI are greater if you take other medicines that cause drowsiness. Tell your doctor right away if this happens.
- **suicidal thoughts or actions and depression.** Some people taking GOCOVRI have had suicidal thoughts, attempted suicide, or have had depression. Tell your doctor if you have new or sudden changes in mood, behaviors, thoughts, or feelings, including thoughts about hurting yourself or ending your life.
- **hallucinations.** GOCOVRI can cause or worsen hallucinations (seeing or hearing things that are not real) or psychotic behavior. Hallucinations are a serious and common side effect of GOCOVRI. Contact your doctor if you have hallucinations.
- **feeling dizzy, faint or light headed, especially when you stand up (orthostatic hypotension).** Light headedness or fainting may happen when getting up too quickly from a sitting or lying position especially after long periods of time, when first starting GOCOVRI, or if your dose has been increased. These side effects are serious and common for GOCOVRI. Contact your doctor if you become light headed or faint when standing up.
- **unusual urges.** Some people taking GOCOVRI get urges to behave in a way unusual for them. Examples of this

are an unusual urge to gamble, increased sexual urges, strong urges to spend money, binge eating and the inability to control these urges. If you notice or your family notices that you are developing any unusual behaviors, talk to your doctor.

The most common side effects of GOCOVRI include hallucinations, dizziness, dry mouth, swelling of legs and feet, constipation, a drop in blood pressure when standing, and falls.

These are not all the possible side effects of GOCOVRI. Call your doctor for the medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

## How should I store GOCOVRI?

- Store GOCOVRI at room temperature between 68°F to 77°F (20°C to 25°C).
- Keep GOCOVRI and all medicines out of the reach of children.

## General information about the safe and effective use of GOCOVRI.

Medicines are sometimes prescribed for purposes other than those listed in a Patient Information leaflet. Do not use GOCOVRI for a condition for which it was not prescribed. Do not give GOCOVRI to other people, even if they have the same symptoms that you have. It may harm them. You can ask your pharmacist or doctor for information about GOCOVRI that is written for health professionals.

## What are the ingredients in GOCOVRI?

**Active ingredient:** amantadine hydrochloride

**Inactive ingredients:** copovidone, ethylcellulose, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, povidone, and talc  
Manufactured for: Adamas Pharma LLC, Emeryville, CA 94608

For more information, go to [www.GOCOVRI.com](http://www.GOCOVRI.com) or call 1-833-223-2627.

This Patient Information has been approved by the U.S. Food and Drug Administration Issued: 1/2021

**GOCOVRI**<sup>®</sup>  
(amantadine) extended release capsules

## Questions to consider asking your doctor at your next appointment

I sometimes experience involuntary, erratic, writhing movements of the face, arms, legs, or trunk.

**Could this be dyskinesia?**

---

Is what I'm experiencing tremor or dyskinesia?

**What is the difference?**

---

Will adjusting my levodopa dose cause more OFF time? What else could be done?

---

Dyskinesia and/or OFF is interfering with my daily activities. **What are my treatment options?**

**Could GOCOVRI be right for me?**

Learn more at  
**GOCOVRI.com**, where  
you can also:

- Get tips on talking to your doctor
- Hear from real GOCOVRI patients
- Access educational resources and more



Please see Important Safety Information  
throughout and full Patient Prescribing  
Information on pages 20-23.



Gocovri, the Gocovri logo, Gocovri Onboard, the Gocovri Onboard logo, Adamas, and the Adamas logo are trademarks of Adamas Pharmaceuticals, Inc. or its related companies.

© 2021 Adamas Pharmaceuticals, Inc. or its related companies. All rights reserved. GOC-0729.v3 7/21

